

天津普西唐生物医药科技有限公司

Tianjin Psaitong Biomedical Technology Co., Ltd

北京普西唐生物科技有限公司

Beijing Psaitong Biotechnology Co., Ltd

# **SAFETY DATA SHEETS**

## According to the UN GHS revision 8

Version: 1.0

Creation Date: July 15, 2024

Revision Date: July 15, 2024

### 1. Identification

### 1.1 GHS Product identifier

Product name Cupric oxide

### 1.2 Other means of identification

Product number C90001

Other names

#### 1.3 Recommended use of the chemical and restrictions on use

Identified uses Adsorbents and absorbents, Agricultural chemicals (non-

pesticidal), Intermediates, Oxidizing/reducing agents, Plating agents and surface treating agents, Process regulators, Processing aids, not otherwise listed, Processing aids, specific

to petroleum production

Uses advised against no data available

1.4 Supplier's details

Company Tianjin Psaitong Biomedical Technology Co., Ltd

Beijing Psaitong Biotechnology Co., Ltd

Address Building 145, Yougu New Science Park, Qingguang Town, Beichen District, Tianjin City

**Tel/Fax** +86-10-60605840

1.5 Emergency phone number

Emergency phone number +86-10-60605840

Service hours Monday to Friday, 9am-5pm (Standard time zone: UTC/GMT +8 hours).

### 2. Hazard identification

## 2.1 Classification of the substance or mixture

Hazardous to the aquatic environment, short-term (Acute) - Category Acute 1
Hazardous to the aquatic environment, long-term (Chronic) - Category Chronic 1

## 2.2 GHS label elements, including precautionary statements

Pictogram(s)



Signal word Warning

Hazard statement(s) H410 Very toxic to aquatic life with long lasting effects

Precautionary statement(s)

**Prevention** P273 Avoid release to the environment.

Response P391 Collect spillage.

**Storage** none

**Disposal** P501 Dispose of contents/container to an appropriate treatment and disposal facility in

accordance with applicable laws and regulations, and product characteristics at time of

disposal.

### 2.3 Other hazards which do not result in classification

no data available

## 3. Composition/information on ingredients

#### 3.1 Substances

Chemical name	Common names and synonyms	CAS number	EC number	Concentration
Copper oxide	Copper oxide	1317-38-0	215-269-1	100%

#### 4. First-aid measures

## 4.1 Description of necessary first-aid measures

#### General advice

Medical attention is required. Consult a doctor. Show this safety data sheet (SDS) to the doctor in attendance.

#### If inhaled

Move the victim into fresh air. If breathing is difficult, give oxygen. If not breathing, give artificial respiration and consult a doctor immediately. Do not use mouth to mouth resuscitation if the victim ingested or inhaled the chemical.

#### Following skin contact

Take off contaminated clothing immediately. Wash off with soap and plenty of water. Consult a doctor.

#### Following eye contact

Rinse with pure water for at least 15 minutes. Consult a doctor.

#### Following ingestion

Rinse mouth with water. Do not induce vomiting. Never give anything by mouth to an unconscious person. Call a doctor or Poison Control Center immediately.

### 4.2 Most important symptoms/effects, acute and delayed

no data available

#### 4.3 Indication of immediate medical attention and special treatment needed, if necessary

Basic treatment: Establish a patent airway. Suction if necessary. Watch for signs of respiratory insufficiency and assist ventilations if necessary. Administer oxygen by nonrebreather mask at 10 to 15 L/min. Monitor for shock and treat if necessary. For eye contamination, flush eyes immediately with water. Irrigate each eye continuously with normal saline during transport. Do not use emetics. For ingestion, rinse mouth and administer 5 ml/kg up to 200 ml of water for dilution if the patient can swallow, has a strong gag reflex, and does not drool. Administer activated charcoal. Copper and related compounds

# 5. Fire-fighting measures

### 5.1 Extinguishing media

### Suitable extinguishing media

Use dry chemical, carbon dioxide or alcohol-resistant foam.

### 5.2 Specific hazards arising from the chemical

no data available

## 5.3 Special protective actions for fire-fighters

Wear self-contained breathing apparatus for firefighting if necessary.

#### 6. Accidental release measures

### 6.1 Personal precautions, protective equipment and emergency procedures

Avoid dust formation. Avoid breathing mist, gas or vapours. Avoid contacting with skin and eye. Use personal protective equipment. Wear chemical impermeable gloves. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak.

#### 6.2 Environmental precautions

Prevent further spillage or leakage if it is safe to do so. Do not let the chemical enter drains. Discharge into the environment must be avoided.

### 6.3 Methods and materials for containment and cleaning up

Collect and arrange disposal. Keep the chemical in suitable and closed containers for disposal. Remove all sources of ignition. Use spark-proof tools and explosion-proof equipment. Adhered or collected material should be promptly disposed of, in accordance with appropriate laws and regulations.

## 7. Handling and storage

## 7.1 Precautions for safe handling

Handling in a well ventilated place. Wear suitable protective clothing. Avoid contact with skin and eyes. Avoid formation of dust and aerosols. Use non-sparking tools. Prevent fire caused by electrostatic discharge steam.

## 7.2 Conditions for safe storage, including any incompatibilities

Store the container tightly closed in a dry, cool and well-ventilated place. Store apart from foodstuff containers or incompatible materials

### 8. Exposure controls/personal protection

## 8.1 Control parameters

#### Occupational Exposure limit values

Component	nponent Copper oxide				
CAS No.	<b>S No.</b> 1317-38-0				
	Limit value - Eight hours		Limit value - Short term		
	ррт	mg/m <sup>3</sup>	ppm	mg/m <sup>3</sup>	
Finland		1 (1)			
	Remarks				
Finland	(1) calculated as Cu				

#### 8.2 Appropriate engineering controls

Ensure adequate ventilation. Handle in accordance with good industrial hygiene and safety practice. Set up emergency exits and the risk-elimination area.

### 8.3 Individual protection measures, such as personal protective equipment (PPE)

#### Eye/face protection

Wear tightly fitting safety goggles with side-shields conforming to EN 166(EU) or NIOSH (US).

#### Skin protection

Wear fire/flame resistant and impervious clothing. Handle with gloves. Gloves must be inspected prior to use. Wash and dry hands. The selected protective gloves have to satisfy the specifications of EU Directive 89/686/EEC and the standard EN 374 derived from it.

#### Respiratory protection

If the exposure limits are exceeded, irritation or other symptoms are experienced, use a full-face respirator.

#### Thermal hazards

no data available

## 9. Physical and chemical properties

Physical state Solid. Powder.

**Colour** Dark grey, N=2.6/ Reflectance = 4.55%.

**Odour** no data available

Melting point/ freezing point 1 326 °C.

Boiling point or initial boiling point 1026°C (decomp)

and boiling range

Flammability CuO: Noncombustible Solid

Lower and upper explosion limit / no data available

flammability limit

Flash point no data available
Auto-ignition temperature no data available
Decomposition temperature no data available
pH no data available
Kinematic viscosity no data available

**Solubility** Practically insol in water, alc; sol in dilute acids, alkali cyanides, ammonium carbonate soln;

slowly sol in ammonia

Partition coefficient n-

octanol/water

no data available

Vapour pressure0 mmHg (approx)Density and/or relative density6.31 g/cm³.Relative vapour densityno data availableParticle characteristicsno data available

## 10. Stability and reactivity

#### 10.1 Reactivity

no data available

#### 10.2 Chemical stability

no data available

### 10.3 Possibility of hazardous reactions

no data available

### 10.4 Conditions to avoid

no data available

#### 10.5 Incompatible materials

Boron reacts violently with cupric oxide after warming, melting glass tubing.

## 10.6 Hazardous decomposition products

Decomposes at 1026 deg C.

# 11. Toxicological information

### **Acute toxicity**

- Oral: LD50 rat (male) > 2 500 mg/kg bw.
- Inhalation: no data available
- Dermal: LD50 rat (male/female) > 2 000 mg/kg bw.

### Skin corrosion/irritation

no data available

### Serious eye damage/irritation

no data available

#### Respiratory or skin sensitization

no data available

#### Germ cell mutagenicity

no data available

#### Carcinogenicity

no data available

#### Reproductive toxicity

no data available

#### STOT-single exposure

no data available

#### STOT-repeated exposure

no data available

#### **Aspiration hazard**

no data available

# 12. Ecological information

### 12.1 Toxicity

- Toxicity to fish: LC50 Pimephales promelas 193 μg/L 96 h.
- Toxicity to daphnia and other aquatic invertebrates: These observations consistently show that the presence of organic matter decreases the bioavailability, uptake, and ecotoxicity of copper in the aquatic environment Daphnia magna.
- Toxicity to algae: Based on the algal biomass, the growth rate, the pigment diversity and the autotrophic index, an optimal
  concentration range was observed between 1 and 35µg Cu/L. Pseudokirchneriella subcapitata (previous names:
  Raphidocelis subcapitata, Selenastrum capricornutum).
- Toxicity to microorganisms: see summary activated sludge of a predominantly domestic sewage.

### 12.2 Persistence and degradability

no data available

## 12.3 Bioaccumulative potential

no data available

## 12.4 Mobility in soil

no data available

#### 12.5 Other adverse effects

no data available

#### 13. Disposal considerations

#### 13.1 Disposal methods

#### **Product**

The material can be disposed of by removal to a licensed chemical destruction plant or by controlled incineration with flue gas scrubbing. Do not contaminate water, foodstuffs, feed or seed by storage or disposal. Do not discharge to sewer systems.

#### Contaminated packaging

Containers can be triply rinsed (or equivalent) and offered for recycling or reconditioning. Alternatively, the packaging can be punctured to make it unusable for other purposes and then be disposed of in a sanitary landfill. Controlled incineration with flue gas scrubbing is possible for combustible packaging materials.

### 14. Transport information

#### 14.1 UN Number

check.)

check.)

ADR/RID: UN3077 (For reference only, please check.)

IMDG: UN3077 (For reference only, please check.)

IATA: UN3077 (For reference only, please check.)

### 14.2 UN Proper Shipping Name

ADR/RID: ENVIRONMENTALLY

IMDG: ENVIRONMENTALLY HAZARDOUS IATA: ENVIRONMENTALLY HAZARDOUS HAZARDOUS SUBSTANCE, SOLID, N.O.S. SUBSTANCE, SOLID, N.O.S. (For

SUBSTANCE, SOLID, N.O.S. (For

(For reference only, please check.)

reference only, please check.)

reference only, please check.)

### 14.3 Transport hazard class(es)

ADR/RID: 9 (For reference only, please

IMDG: 9 (For reference only, please

IATA: 9 (For reference only, please

check.)

14.4 Packing group, if applicable

ADR/RID: III (For reference only, please

IMDG: III (For reference only, please check.)

IATA: III (For reference only, please

check.)

check.)

14.5 Environmental hazards

ADR/RID: Yes IMDG: Yes IATA: Yes

### 14.6 Special precautions for user

no data available

### 14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

no data available

#### **Regulatory information 15**.

### Safety, health and environmental regulations specific for the product in question

Chemical name	Common names and synonyms	CAS number	EC number	
Copper oxide	Copper oxide	1317-38-0	215-269-1	
European Inventory of Existing Commercial Chemical Substances (EINECS)				
EC Inventory				
United States Toxic Substances Control Act (TSCA) Inventory				
China Catalog of Hazardous chemicals 2015				
New Zealand Inventory of Chemicals (NZIoC)				
Philippines Inventory of Chemicals and Chemical Substances (PICCS)				
Vietnam National Chemical Inventory				
Chinese Chemical Inventory of Existing Chemical Substances (China IECSC)				
Korea Existing Chemicals List (KECL)				

#### 16. Other information

Information on revision

**Creation Date** July 15, 2024 **Revision Date** July 15, 2024

#### Abbreviations and acronyms

- · CAS: Chemical Abstracts Service
- · ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road
- · RID: Regulation concerning the International Carriage of Dangerous Goods by Rail
- IMDG: International Maritime Dangerous Goods
- IATA: International Air Transportation Association
- TWA: Time Weighted Average
- STEL: Short term exposure limit
- LC50: Lethal Concentration 50%

- LD50: Lethal Dose 50%
- EC50: Effective Concentration 50%

#### References

- IPCS The International Chemical Safety Cards (ICSC), website: http://www.ilo.org/dyn/icsc/showcard.home
- HSDB Hazardous Substances Data Bank, website: https://toxnet.nlm.nih.gov/newtoxnet/hsdb.htm
- IARC International Agency for Research on Cancer, website: http://www.iarc.fr/
- eChemPortal The Global Portal to Information on Chemical Substances by OECD, website: http://www.echemportal.org/echemportal/index?pageID=0&request\_locale=en
- CAMEO Chemicals, website: http://cameochemicals.noaa.gov/search/simple
- ChemlDplus, website: http://chem.sis.nlm.nih.gov/chemidplus/chemidlite.jsp
- ERG Emergency Response Guidebook by U.S. Department of Transportation, website: http://www.phmsa.dot.gov/hazmat/library/erg
- Germany GESTIS-database on hazard substance, website: http://www.dguv.de/ifa/gestis/gestis-stoffdatenbank/index-2.jsp
- ECHA European Chemicals Agency, website: https://echa.europa.eu/

Disclaimer: The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. We as supplier shall not be held liable for any damage resulting from handling or from contact with the above product.