

SAFETY DATA SHEETS

According to the UN GHS revision 8

Version: 1.0 Creation Date: July 15, 2024 Revision Date: July 15, 2024 1. Identification **GHS Product identifier** 1.1 Product name 4-Aminopyridine Other means of identification 1.2 Product number A60006 Other names 1.3 Recommended use of the chemical and restrictions on use Identified uses Industrial and scientific research uses. Uses advised against no data available 1.4 Supplier's details Company Tianjin Psaitong Biomedical Technology Co., Ltd Beijing Psaitong Biotechnology Co., Ltd Address Building 145, Yougu New Science Park, Qingguang Town, Beichen District, Tianjin City +86-10-60605840 Tel/Fax 1.5 **Emergency phone number** Emergency phone number +86-10-60605840 Service hours Monday to Friday, 9am-5pm (Standard time zone: UTC/GMT +8 hours). 2. Hazard identification 2.1 Classification of the substance or mixture Skin irritation, Category 2 Eye irritation, Category 2 Specific target organ toxicity - single exposure, Category 3 Hazardous to the aquatic environment, long-term (Chronic) - Category Chronic 2 2.2 GHS label elements, including precautionary statements Pictogram(s)

Signal word Hazard statement(s) Danger H300 Fatal if swallowed H315 Causes skin irritation H319 Causes serious eye irritation H335 May cause respiratory irritation H411 Toxic to aquatic life with long lasting effects

Precautionary statement(s) Prevention P264 Wash ... thoroughly after handling. P280 Wear protective gloves/protective clothing/eye protection/face protection. P261 Avoid breathing dust/fume/gas/mist/vapours/spray. P271 Use only outdoors or in a well-ventilated area. P273 Avoid release to the environment. Response P302+P352 IF ON SKIN: Wash with plenty of water/... P321 Specific treatment (see ... on this label). P332+P313 If skin irritation occurs: Get medical advice/attention. P362+P364 Take off contaminated clothing and wash it before reuse. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P337+P313 If eye irritation persists: Get medical advice/attention. P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing. P312 Call a POISON CENTER/doctor/...if you feel unwell. P391 Collect spillage. Storage P403+P233 Store in a well-ventilated place. Keep container tightly closed. P405 Store locked up. Disposal P501 Dispose of contents/container to an appropriate treatment and disposal facility in accordance with applicable laws and regulations, and product characteristics at time of disposal.

2.3 Other hazards which do not result in classification

no data available

3. Composition/information on ingredients

3.1 Substances

Chemical name	Common names and synonyms	CAS number	EC number	Concentration
4-pyridylamine	4-pyridylamine	504-24-5	207-987-9	100%

4. First-aid measures

4.1 Description of necessary first-aid measures

General advice

Medical attention is required. Consult a doctor. Show this safety data sheet (SDS) to the doctor in attendance.

lf inhaled

Move the victim into fresh air. If breathing is difficult, give oxygen. If not breathing, give artificial respiration and consult a doctor immediately. Do not use mouth to mouth resuscitation if the victim ingested or inhaled the chemical.

Following skin contact

Take off contaminated clothing immediately. Wash off with soap and plenty of water. Consult a doctor.

Following eye contact

Rinse with pure water for at least 15 minutes. Consult a doctor.

Following ingestion

Rinse mouth with water. Do not induce vomiting. Never give anything by mouth to an unconscious person. Call a doctor or Poison Control Center immediately.

4.2 Most important symptoms/effects, acute and delayed

Material may be fatal if inhaled, swallowed or absorbed through skin. Contact may cause burns to skin and eyes. Material affects neural transmission. In sufficient concentrations, material may cause metabolic acidosis, respiratory arrest, and cardiac arrhythmias. (EPA, 1998)

4.3 Indication of immediate medical attention and special treatment needed, if necessary

Pancuronium is a pharmacologic antidote and is recommended in severely poisoned human patients. Propranolol appears to block some of the cardiac toxicity (such as cardiac arrhythmias) of 4-aminopyridine. Seizures can be treated with diazepam. In severe cases, phenobarbital or phenytoin can be given, if no response to diazepam. In case of avitrol ingestion, general symptomatic and supportive treatment includes emesis, gastric lavage, activated charcoal, and cathartic sodium thiosulfate. Bicarbonate should be added tot he fluids to treat acidosis.

5. Fire-fighting measures

5.1 Extinguishing media

Suitable extinguishing media

Suitable extinguishing media: Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide. Special protective equipment for firefighters: Wear self contained breathing apparatus for fire fighting if necessary.

5.2 Specific hazards arising from the chemical

Material may produce irritating or poisonous gases in fire. Runoff from fire control water may give off irritating or poisonous gases. (EPA, 1998)

5.3 Special protective actions for fire-fighters

Wear self-contained breathing apparatus for firefighting if necessary.

6. Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Avoid dust formation. Avoid breathing mist, gas or vapours. Avoid contacting with skin and eye. Use personal protective equipment. Wear chemical impermeable gloves. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak.

6.2 Environmental precautions

Prevent further spillage or leakage if it is safe to do so. Do not let the chemical enter drains. Discharge into the environment must be avoided.

6.3 Methods and materials for containment and cleaning up

Personal precautions: Wear respiratory protection. Avoid dust formation. Avoid breathing vapours, mist or gas. Ensure adequate ventilation. Evacuate personnel to safe areas. Avoid breathing dust. Environmental precautions: Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided. Methods and materials for containment and cleaning up: Pick up and arrange disposal without creating dust. Sweep up and shovel. Keep in suitable, closed containers for disposal.

7. Handling and storage

7.1 Precautions for safe handling

Handling in a well ventilated place. Wear suitable protective clothing. Avoid contact with skin and eyes. Avoid formation of dust and aerosols. Use non-sparking tools. Prevent fire caused by electrostatic discharge steam.

7.2 Conditions for safe storage, including any incompatibilities

Keep container tightly closed in a dry and well-ventilated place.

8. Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure limit values

no data available

8.2 Appropriate engineering controls

Ensure adequate ventilation. Handle in accordance with good industrial hygiene and safety practice. Set up emergency exits and the risk-elimination area.

8.3 Individual protection measures, such as personal protective equipment (PPE)

Eye/face protection

Wear tightly fitting safety goggles with side-shields conforming to EN 166(EU) or NIOSH (US).

Skin protection

Wear fire/flame resistant and impervious clothing. Handle with gloves. Gloves must be inspected prior to use. Wash and dry hands. The selected protective gloves have to satisfy the specifications of EU Directive 89/686/EEC and the standard EN 374 derived from it.

Respiratory protection

If the exposure limits are exceeded, irritation or other symptoms are experienced, use a full-face respirator.

Thermal hazards

no data available

9. Physical and chemical properties

Physical state	Pyridine, 4-amino- is a white crystalline material with no odor. Used as an avicide, an		
	intermediate and as a fixer for some textile dyes. (EPA, 1998) It has been approved by the		
	FDA for use as a treatment for multiple sclerosis.		
Colour	White crystals		
Odour	Odorless		
Melting point/ freezing point	210°C(lit.)		
Boiling point or initial boiling point	t 273°C(lit.)		
and boiling range			
Flammability	no data available		
Lower and upper explosion limit /	no data available		
flammability limit			
Flash point	9°C(lit.)		
Auto-ignition temperature	no data available		
Decomposition temperature	no data available		
рН	no data available		
Kinematic viscosity	no data available		
Solubility	no data available		
Partition coefficient n-	log Kow = 0.32		
octanol/water			
Vapour pressure	2.09X10-4 mm Hg at 20 deg C		
Density and/or relative density	1.26		
Relative vapour density	no data available		
Particle characteristics	no data available		

10. Stability and reactivity

10.1 Reactivity

No rapid reaction with air. No rapid reaction with water.

10.2 Chemical stability

Stable under recommended storage conditions.

10.3 Possibility of hazardous reactions

PYRIDINE, 4-AMINO- neutralizes acids in exothermic reactions to form salts plus water. May be incompatible with isocyanates, halogenated organics, peroxides, phenols (acidic), epoxides, anhydrides, and acid halides. Flammable gaseous hydrogen may be generated in combination with strong reducing agents, such as hydrides.

10.4 Conditions to avoid

no data available

10.5 Incompatible materials

Strong oxidizing agents, Strong acids, Acid chlorides, Acid anhydrides

10.6 Hazardous decomposition products

When heated to decomposition it emits toxic fumes of /nitrogen oxides/.

11. Toxicological information

Acute toxicity

- Oral: LD50 Dog oral 3.7 mg/kg
- Inhalation: no data available
- Dermal: no data available

Skin corrosion/irritation

no data available

Serious eye damage/irritation

no data available

Respiratory or skin sensitization

no data available

Germ cell mutagenicity

no data available

Carcinogenicity

Cancer Classification: Group D Not Classifiable as to Human Carcinogenicity

Reproductive toxicity

no data available

STOT-single exposure

no data available

STOT-repeated exposure

no data available

Aspiration hazard

no data available

12. Ecological information

12.1 Toxicity

- Toxicity to fish: LC50; Species: Lepomis macrochirus (Bluegill); Conditions: freshwater, static; Concentration: 2820 ug/L for 96 hr (95% confidence interval: 2300-3500 ug/L)
- Toxicity to daphnia and other aquatic invertebrates: EC50; Species: Daphnia magna (Water Flea) juvenile; Conditions: freshwater, static, 21 deg C, hardness 40 mg/L CaCO3; Concentration: 17000 ug/L for 24 hr; Effect: intoxication, immobilization /formulation
- Toxicity to algae: no data available
- Toxicity to microorganisms: no data available

12.2 Persistence and degradability

AEROBIC: 4-Aminopyridine, present at 100 mg/L, reached 0% of its theoretical BOD in 4 weeks using an activated sludge inoculum at 30 mg/L in the Japanese MITI test(1). In a screening test, which utilized 5 mL garden soil suspensions with glucose, yeast extract and mineral salts, 4-aminopyridine completely degraded in greater than 170 days under both aerobic and anaerobic conditions(2). For flooded soils, 76.4 and 79.0% of the original radio labeled 4-aminopyridine was mineralized to CO2 within 60 days in a Fargo clay and Barnes sandy loam soil at 20 deg C and pHs of 7.7, and 7.4, respectively(3). In addition, only 6, 18 and 24% of the original radio labeled 4-aminopyridine was mineralized to CO2 within 60 days in a Barnes sandy loam, Towner loamy fine sand and Fargo clay at 20 deg C and pHs of 7.4, 7.2 and 7.7, respectively(3). An aerobic biological screening study, which

utilized a 10 mg/L yeast extract and an Aeric Ochraqualf soil for inocula, indicated that 4-aminopyridine is not readily biodegradable(4); at 28 deg C and a pH of 7, less than 1% of an initial 14.6 ppm of 4-aminopyridine was mineralized in greater than 30 days as evidenced via the release of inorganic nitrogen(4). An acclimated aerobic soil grab sample study demonstrated slow biodegradation of 4-aminopyridine(5). 4-Aminopyridine was added to Fincastle silt loam (Aeric Ochraqualf) with a pH of 6.7 and incubated at 25 deg C(5); within 64 days, 6.1% of the available nitrogen was released to inorganic forms(5); sterilized controls lost 14.9% of the starting material to volatilization, but did not release inorganic nitrogen(5). Aerobic biotic half-lives of 4-aminopyridine in soil are reported to range between 3 and 32 months(6).

12.3 Bioaccumulative potential

BCF values of <0.2-0.6 (at 50 mg/L) and <1.8-7.2 (at 5 mg/L concentration) were measured in carp (Cyprinus carpio) which were exposed over an 8-week period for 4-aminopyridine(1). According to a classification scheme(2), these BCF ranges suggest the potential for bioconcentration in aquatic organisms is low.

12.4 Mobility in soil

Using a structure estimation method based on molecular connectivity indices(1), the Koc for 4-aminopyridine can be estimated to be 35(SRC). According to a classification scheme(2), this estimated Koc value suggests that 4-aminopyridine is expected to have very high mobility in soil. The pKa of 4-aminopyridine is 9.17(3), indicating that this compound will exist predominantly in cation form in the environment and cations generally adsorb more strongly to soils containing organic carbon and clay than their neutral counterparts(4). In addition, aromatic amines are expected to bind strongly to humus or organic matter in soils due to the high reactivity of the aromatic amino group(5,6), suggesting that mobility may be much lower in some soils(SRC).

12.5 Other adverse effects

no data available

13. Disposal considerations

13.1 Disposal methods

Product

The material can be disposed of by removal to a licensed chemical destruction plant or by controlled incineration with flue gas scrubbing. Do not contaminate water, foodstuffs, feed or seed by storage or disposal. Do not discharge to sewer systems.

Contaminated packaging

Containers can be triply rinsed (or equivalent) and offered for recycling or reconditioning. Alternatively, the packaging can be punctured to make it unusable for other purposes and then be disposed of in a sanitary landfill. Controlled incineration with flue gas scrubbing is possible for combustible packaging materials.

14. Transport information

14.1 UN Number

	ADR/RID: UN2671 (For reference only, please check.)	IMDG: UN2671 (For reference only, please check.)	IATA: UN2671 (For reference only, please check.)
14.2	UN Proper Shipping Name		
	ADR/RID: AMINOPYRIDINES (o-, m-, p,) (For reference only, please check.)	IMDG: AMINOPYRIDINES (o-, m-, p,) (For reference only, please check.)	IATA: AMINOPYRIDINES (o-, m-, p,) (For reference only, please check.)
14.3	Transport hazard class(es)		
	ADR/RID: 6.1 (For reference only, please check.)	IMDG: 6.1 (For reference only, please check.)	IATA: 6.1 (For reference only, please check.)
14.4	Packing group, if applicable		
	ADR/RID: II (For reference only, please check.)	IMDG: II (For reference only, please check.)	IATA: II (For reference only, please check.)
14.5	Environmental hazards		
	ADR/RID: No	IMDG: No	IATA: No
14.6	Special precautions for user		

no data available

14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

no data available

15. Regulatory information

15.1 Safety, health and environmental regulations specific for the product in question

Chemical name	Common names and synonyms	CAS number	EC number
4-pyridylamine	4-pyridylamine	504-24-5	207-987-9
European Inventory of Existing Commercial Chemical Substances (EINECS)			
EC Inventory			Listed.
United States Toxic Substances Control Act (TSCA) Inventory			Listed.
China Catalog of Hazardous chemicals 2015			Listed.
New Zealand Inventory of Chemicals (NZIoC)			Listed.
Philippines Inventory of Chemicals and Chemical Substances (PICCS)			Listed.
Vietnam National Chemical Inventory			Listed.
Chinese Chemical Inventory of Existing Chemical Substances (China IECSC)			Listed.
Korea Existing Chemicals List (KECL)			Listed.

16. Other information

Information on revision

Creation Date	July 15, 2024
Revision Date	July 15, 2024

Abbreviations and acronyms

- CAS: Chemical Abstracts Service
- ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road
- RID: Regulation concerning the International Carriage of Dangerous Goods by Rail
- IMDG: International Maritime Dangerous Goods
- IATA: International Air Transportation Association
- TWA: Time Weighted Average
- STEL: Short term exposure limit
- LC50: Lethal Concentration 50%
- LD50: Lethal Dose 50%
- EC50: Effective Concentration 50%

References

- IPCS The International Chemical Safety Cards (ICSC), website: http://www.ilo.org/dyn/icsc/showcard.home
- HSDB Hazardous Substances Data Bank, website: https://toxnet.nlm.nih.gov/newtoxnet/hsdb.htm
- IARC International Agency for Research on Cancer, website: http://www.iarc.fr/
- eChemPortal The Global Portal to Information on Chemical Substances by OECD, website: http://www.echemportal.org/echemportal/index?pageID=0&request locale=en
- CAMEO Chemicals, website: http://cameochemicals.noaa.gov/search/simple
- ChemlDplus, website: http://chem.sis.nlm.nih.gov/chemidplus/chemidlite.jsp
- ERG Emergency Response Guidebook by U.S. Department of Transportation, website: http://www.phmsa.dot.gov/hazmat/library/erg
- Germany GESTIS-database on hazard substance, website: http://www.dguv.de/ifa/gestis/gestis-stoffdatenbank/index-2.jsp
- ECHA European Chemicals Agency, website: https://echa.europa.eu/

Disclaimer: The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. We as supplier shall not be held liable for any damage resulting from handling or from contact with the above product.