

天津普西唐生物医药科技有限公司

Tianjin Psaitong Biomedical Technology Co., Ltd

北京普西唐生物科技有限公司

Beijing Psaitong Biotechnology Co., Ltd

According to the UN GHS revision 8

SAFETY DATA SHEETS

Version: 1.0

Creation Date: July 15, 2024 Revision Date: July 15, 2024

1. Identification

1.1 GHS Product identifier

Product name Glycerol

1.2 Other means of identification

Product number G10034

Other names

1.3 Recommended use of the chemical and restrictions on use

Identified uses Solvents

Uses advised against no data available

1.4 Supplier's details

Company Tianjin Psaitong Biomedical Technology Co., Ltd

Beijing Psaitong Biotechnology Co., Ltd

Address Building 145, Yougu New Science Park, Qingguang Town, Beichen District, Tianjin City

Tel/Fax +86-10-60605840

1.5 Emergency phone number

Emergency phone number +86-10-60605840

Service hours Monday to Friday, 9am-5pm (Standard time zone: UTC/GMT +8 hours).

2. Hazard identification

2.1 Classification of the substance or mixture

Not classified.

2.2 GHS label elements, including precautionary statements

Pictogram(s)No symbol.Signal wordNo signal word

Hazard statement(s) none

Precautionary statement(s)

Prevention none
Response none
Storage none
Disposal none

2.3 Other hazards which do not result in classification

no data available

3. Composition/information on ingredients

3.1 Substances

Chemical name	Common names and synonyms	CAS number	EC number	Concentration
Glycerol	Glycerol	56-81-5	200-289-5	100%

4. First-aid measures

4.1 Description of necessary first-aid measures

General advice

Medical attention is required. Consult a doctor. Show this safety data sheet (SDS) to the doctor in attendance.

If inhaled

Fresh air, rest.

Following skin contact

Rinse skin with plenty of water or shower. Rinse skin with plenty of water or shower.

Following eye contact

First rinse with plenty of water for several minutes (remove contact lenses if easily possible), then refer for medical attention.

Following ingestion

Rinse mouth. Rinse mouth.

4.2 Most important symptoms/effects, acute and delayed

No hazard (USCG, 1999)

4.3 Indication of immediate medical attention and special treatment needed, if necessary

The clinician should attend to the management of dehydration, electrolyte imbalance (hypokalemia and hyponatremia), hyperglycemia, and acidosis or alkalosis. ... Osmotic diuretics

5. Fire-fighting measures

5.1 Extinguishing media

Suitable extinguishing media

Water or foam may cause frothing.

5.2 Specific hazards arising from the chemical

This chemical is combustible. (NTP, 1992)

5.3 Special protective actions for fire-fighters

Use water spray, alcohol-resistant foam, dry powder, carbon dioxide. In case of fire: keep drums, etc., cool by spraying with water.

Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Ventilation. Collect leaking and spilled liquid in covered containers as far as possible. Absorb remaining liquid in sand or inert absorbent. Then store and dispose of according to local regulations.

6.2 Environmental precautions

Ventilation. Collect leaking and spilled liquid in covered containers as far as possible. Absorb remaining liquid in sand or inert absorbent. Then store and dispose of according to local regulations.

6.3 Methods and materials for containment and cleaning up

Wear approved respiratory protection, chemically compatible gloves and protective clothing. Wipe up spillage or collect spillage using a high efficiency vacuum cleaner. Avoid breathing vapor. Place spillage in appropriately labelled container for disposal.

7. Handling and storage

7.1 Precautions for safe handling

NO open flames. Handling in a well ventilated place. Wear suitable protective clothing. Avoid contact with skin and eyes. Avoid formation of dust and aerosols. Use non-sparking tools. Prevent fire caused by electrostatic discharge steam.

7.2 Conditions for safe storage, including any incompatibilities

Separated from strong oxidants. Glycerol should preferably be stored at 40 - 60 deg C under nitrogen blanketing. It is not corrosive and presents little risk of ignition because of its high flash point. Highly concentrated glycerol does not corrode steel, but storage tanks of carbon steel must be protected by surface coating to prevent rusting by residual moisture. Glycerol is therefore usually stored in tanks of stainless steel or aluminum.

8. Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure limit values

MAK: (inhalable fraction): 200 mg/m3; peak limitation category: I(2); pregnancy risk group: C

8.2 Appropriate engineering controls

Ensure adequate ventilation. Handle in accordance with good industrial hygiene and safety practice. Set up emergency exits and the risk-elimination area.

8.3 Individual protection measures, such as personal protective equipment (PPE)

Eye/face protection

Wear safety goggles.

Skin protection

Protective gloves.

Respiratory protection

Use ventilation.

Thermal hazards

no data available

9. Physical and chemical properties

Physical state Liquid. Viscous.

Colour Clear, water-white.

Odour MILD ODOR

Melting point/ freezing point 18.17 °C. Atm. press.:Ca. 101.3 kPa. Boiling point or initial boiling point 290 °C. Atm. press.:760 mm Hg.

and boiling range

Flammability Class IIIB Combustible Liquid: Fl.P. at or above 200°F.

Lower and upper explosion limit / no data available

flammability limit

Flash point

199 °C. Atm. press.:Ca. 101.3 kPa.;177 °C. Atm. press.:Ca. 101.3 kPa.

Auto-ignition temperature 370 °C. Remarks: No pressure reported. Usually autoflammability is measured at

atmospheric pressure.

Decomposition temperatureno data availablepHNeutral to litmus

Kinematic viscosity dynamic viscosity (in mPa s) = 1 412. Temperature:20°C.;dynamic viscosity (in mPa s) =

612. Temperature:30.0°C.;dynamic viscosity (in mPa s) = 14.8. Temperature:100.0°C.

Solubility greater than or equal to 100 mg/mL at 64° F (NTP, 1992)

Partition coefficient n- log Pow = -1.75. Temperature:25 °C.

octanol/water

Vapour pressure 0.003 mm Hg. Temperature:50 °C.;0.195 mm Hg. Temperature:100 °C.;4.3 mm Hg.

Temperature:150 °C.

Density and/or relative density 1.261 g/ml. Temperature:20 °C.

10. Stability and reactivity

10.1 Reactivity

Decomposes on heating. This produces corrosive fumes of acrolein. Reacts with strong oxidants. This generates fire and explosion hazard.

10.2 Chemical stability

Mixtures of glycerin with water, ethanol (95%), and propylene glycol are chemically stable. Glycerin may crystallize if stored at low temperatures; the crystals do not melt until warmed to 20 deg C.

10.3 Possibility of hazardous reactions

GLYCERINE is incompatible with strong oxidizers. It is also incompatible with hydrogen peroxide, potassium permanganate, nitric acid + sulfuric acid, perchloric acid + lead oxide, acetic anhydride, aniline + nitrobenzene, Ca(OCI)2, CrO3, F2 + PbO, KMnO4, K2O2, AgCIO4 and NaH. A mixture with chlorine explodes if heated to 158-176° F. It reacts with acetic acid, potassium peroxide, sodium peroxide, hydrochloric acid, (HCIO4 + PbO) and Na2O2. Contact with potassium chlorate may be explosive. It also reacts with ethylene oxide, perchloric acid, nitric acid + hydrofluoric acid and phosphorus triiodide. (NTP, 1992)

10.4 Conditions to avoid

no data available

10.5 Incompatible materials

Exothermic interaction of granular /sodium/ hydride with undiluted (viscous) glycerol with inadequate stirring caused charring to occur.

10.6 Hazardous decomposition products

Pure gycerin is not prone to oxidation by the atmosphere under ordinary conditions, but is decomposes on heating with the evolution of toxic acrolein.

11. Toxicological information

Acute toxicity

- Oral: LD50 Rat oral 12.6 g/kg
- Inhalation: LC50 Rat inhalation > 570 mg/cu m/1 hr
- · Dermal: no data available

Skin corrosion/irritation

no data available

Serious eye damage/irritation

no data available

Respiratory or skin sensitization

no data available

Germ cell mutagenicity

no data available

Carcinogenicity

no data available

Reproductive toxicity

no data available

STOT-single exposure

no data available

STOT-repeated exposure

no data available

Aspiration hazard

Evaporation at 20°C is negligible; a nuisance-causing concentration of airborne particles can, however, be reached quickly on spraying.

12. Ecological information

12.1 Toxicity

- Toxicity to fish: LC50 Oncorhynchus mykiss (previous name: Salmo gairdneri) 54 000 mg/L 96 h.
- Toxicity to daphnia and other aquatic invertebrates: LC50 Daphnia magna 1 955 mg/L 48 h.
- Toxicity to algae: EC3 Scenedesmus quadricauda > 10 000 mg/L 8 d.
- Toxicity to microorganisms: Toxicity Threshold Pseudomonas putida > 10 000 mg/L 16 h.

12.2 Persistence and degradability

AEROBIC: Glycerin, present at 100 mg/L, reached 63% of its theoretical BOD in 2 weeks using an activated sludge inoculum at 30 mg/L in the Japanese MITI test(1). Biodegradation rate constants of 0.258/day and 0.200/day in respirometric test systems employing activated sludge have also been reported, corresponding to 68% and 78% degradation, respectively(2).

12.3 Bioaccumulative potential

An estimated BCF of 3 was calculated in fish for glycerin(SRC), using a log Kow of -1.76(1) and a regression-derived equation(2). According to a classification scheme(3), this BCF suggests the potential for bioconcentration in aquatic organisms is low(SRC).

12.4 Mobility in soil

Using a structure estimation method based on molecular connectivity indices(1), the Koc of glycerin can be estimated to be 1(SRC). According to a classification scheme(2), this estimated Koc value suggests that glycerin is expected to have very high mobility in soil.

12.5 Other adverse effects

no data available

13. Disposal considerations

13.1 Disposal methods

Product

The material can be disposed of by removal to a licensed chemical destruction plant or by controlled incineration with flue gas scrubbing. Do not contaminate water, foodstuffs, feed or seed by storage or disposal. Do not discharge to sewer systems.

Contaminated packaging

Containers can be triply rinsed (or equivalent) and offered for recycling or reconditioning. Alternatively, the packaging can be punctured to make it unusable for other purposes and then be disposed of in a sanitary landfill. Controlled incineration with flue gas scrubbing is possible for combustible packaging materials.

14. Transport information

14.1 UN Number

ADR/RID: Not dangerous goods. (For IMDG: Not dangerous goods. (For reference only, please check.) IATA: Not dangerous goods. (For reference only, please check.)

14.2 UN Proper Shipping Name

ADR/RID: Not dangerous goods. (For IMDG: Not dangerous goods. (For reference only, please check.)

IMDG: Not dangerous goods. (For reference only, please check.)

reference only, please check.)

14.3 Transport hazard class(es)

ADR/RID: Not dangerous goods. (For reference only, please check.)

IMDG: Not dangerous goods. (For reference only, please check.)

reference only, please check.)

14.4 Packing group, if applicable

ADR/RID: Not dangerous goods. (For reference only, please check.)

IMDG: Not dangerous goods. (For reference only, please check.)

IATA: Not dangerous goods. (For reference only, please check.)

14.5 Environmental hazards

ADR/RID: No IMDG: No IATA: No

14.6 Special precautions for user

no data available

14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

no data available

15. Regulatory information

15.1 Safety, health and environmental regulations specific for the product in question

Chemical name	Common names and synonyms	CAS number	EC number	
Glycerol	Glycerol	56-81-5	200-289-5	
European Inventory of Existing Commercial Chemical Substances (EINECS)				
EC Inventory			Listed.	
United States Toxic Substances Control Act (TSCA) Inventory			Listed.	
China Catalog of Hazardous chemicals 2015			Not Listed.	
New Zealand Inventory of Chemicals (NZIoC)			Listed.	
Philippines Inventory of Ch	nemicals and Chemical Substances (PICCS)		Listed.	
Vietnam National Chemical	Inventory		Listed.	
Chinese Chemical Inventor	ry of Existing Chemical Substances (China IECSC)		Listed.	
Korea Existing Chemicals L	List (KECL)		Listed.	

16. Other information

Information on revision

Creation DateJuly 15, 2024Revision DateJuly 15, 2024

Abbreviations and acronyms

- CAS: Chemical Abstracts Service
- ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road
- RID: Regulation concerning the International Carriage of Dangerous Goods by Rail
- IMDG: International Maritime Dangerous Goods
- IATA: International Air Transportation Association
- TWA: Time Weighted Average
- STEL: Short term exposure limit
- LC50: Lethal Concentration 50%
- LD50: Lethal Dose 50%
- EC50: Effective Concentration 50%

References

- IPCS The International Chemical Safety Cards (ICSC), website: http://www.ilo.org/dyn/icsc/showcard.home
- HSDB Hazardous Substances Data Bank, website: https://toxnet.nlm.nih.gov/newtoxnet/hsdb.htm
- IARC International Agency for Research on Cancer, website: http://www.iarc.fr/
- eChemPortal The Global Portal to Information on Chemical Substances by OECD, website: http://www.echemportal.org/echemportal/index?pageID=0&request_locale=en
- CAMEO Chemicals, website: http://cameochemicals.noaa.gov/search/simple
- ChemlDplus, website: http://chem.sis.nlm.nih.gov/chemidplus/chemidlite.jsp
- ERG Emergency Response Guidebook by U.S. Department of Transportation, website:

http://www.phmsa.dot.gov/hazmat/library/erg

- Germany GESTIS-database on hazard substance, website: http://www.dguv.de/ifa/gestis/gestis-stoffdatenbank/index-2.jsp
- ECHA European Chemicals Agency, website: https://echa.europa.eu/

Disclaimer: The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. We as supplier shall not be held liable for any damage resulting from handling or from contact with the above product.